



Ultra fast, high strength bond adhesives

Full line of joint and seam sealers

Brush and spray protective coatings

FEATURES

- High quality components
- Complete line

BENEFITS

- Match OEM color or texture
- High strength bond
- Ultra-fast application and dry time
- Multiple applications with minimal inventory



Super Bond Weatherstrip Adhesive

Super Bond Weatherstrip Adhesive is a fast setting, high-bond strength adhesive. Used to bond rubber or vinyl weatherstrips to doors, trunks, windows, etc. Nasal tip or controlled bead. Instant tack. Strong bond. Fast drying. Waterproof. Resists oil, grease and silicone.

Super Bond Emblem and Trim Adhesive, Clear

A clear, colorless adhesive with fast tack times and excellent adhesion to almost any surface. Serves as a replacement for a wide variety of adhesive products for bonding metals, plastic, vinyl or rubber. A multi-purpose product, it allows for the reduction of specialty adhesives for unique applications.

No. 10 Disc Adhesive

A specially formulated bonding agent, No. 10 Disc Adhesive is designed for use in automotive refinishing, for holding abrasive discs to any back-up pad. Heat-resistant for long tackiness and repeat usage. A good general-purpose adhesive which may be used for temporary or for more permanent bonds.

Heavy Duty Spray Trim Adhesive

A fast drying, super strength adhesive in an aerosol can. Used to bond carpeting, urethane foam, insulation, supported vinyl, wood, paper, hood pads, and headliners to most substrates. Convenient adjustable spray nozzle for varied applications.

50 STATE
V.O.C. COMPLIANT

DESCRIPTION	COLOR	SIZE	076607-
Super Bond Weatherstrip Adhesive	Black	5 oz Tube	82705
	Amber	5 oz Tube	82706
Super Bond Emblem and Trim Adhesive	Clear	5 oz Tube	82710
No. 10 Disc Adhesive	—	5 oz Tube	82720
Heavy Duty Spray Trim Adhesive	—	24 oz Can / 15.75 oz Net Wt.	82725

CASE

12

NORTON



Urethane Windshield Sealer

A primerless, one part urethane adhesive sealant for windshield and backlite installations. Easy handling, fast-set properties, excellent shelf life. Passes Motor Vehicle Safety Standard #212 windshield barrier test and #216 crush test.

DESCRIPTION	SIZE	076607-
Urethane Windshield Sealer	1/10 gal. cartridge	82735
CASE		12



Glass-Grip Butyl Ribbon Sealer

Used in the installation of auto glass windshields. Excellent adhesion, conformity, and unlimited shelf life. Can be used year round; bonds and seals well in all weather.

DESCRIPTION	SIZE	076607-
5/16" Ribbon Sealer, Black	15 Feet	82740
3/8" Ribbon Sealer, Black	15 Feet	82741
CASE		12



Brushable Seam Sealer

A brush grade sealant used to seal any body seam against moisture or dust. Skins in 5 minutes; paintable in 30. Use on flat seams in trunk areas or to finish skin panels. Cartridge container allows for ease of application along continuous seams. Can hold brush marks for OEM appearance. Excellent toolability.

DESCRIPTION	SIZE	076607-
Brushable Seam Sealer	Cartridge 1/10 Gal. 1 Quart Can	82745 82746*
CASE		12
*CASE		6



Urethane Seam Sealer

A one-component, polyurethane seam sealer that cures quickly to a permanent, flexible sealant designed for sealing interior and exterior body joints and seams and duplicates OEM appearance. Paintable in 1 hour. Flexible foil package eliminates product waste. Use with Application Gun #82786.

DESCRIPTION	076607-
Urethane Seam Sealer Sausage Pack	82751
CASE	6



Quick-Set Seam Sealer

Quick-Set Seam Sealer can be used to seal any body seam against moisture or dust and to finish skin panels. Applies easily, skins in 2 minutes, paintable in 30. Outstanding toolability. Remains flexible when dry. Excellent adhesion to numerous substrates.

DESCRIPTION	COLOR	SIZE	076607-
Quick-Set Seam Sealer	Beige	1/10 Gal Cartridge	82750
CASE			12



Strip Caulk

Waterproof strip caulk is a non-hardening, non-shrinking, rope sealer than can be used to seal cracks, seams, joints or housings. No tools required for installation. Simply press into place. Available in black or gray. Each strip is 3/16" x 1'.

DESCRIPTION	COLOR	SIZE	076607-
Strip Caulk	Black	98 Feet	82760
Strip Caulk	Gray	98 Feet	82761
CASE			12



Zinc-Rich Weld-Thru Primer

Restore OEM zinc corrosion protection. Fast drying, resists sags and settling, is water resistant after 15 minutes and may be topcoated, if desired. Heat resistant up to 500°F. Apply to metal surface either before or after welding.



Rocker-Panel Texture Coat

A rapid drying, flexible, abrasion-resistant protective coating that can be varied to match OEM textures found on rocker panels and valances. Paintable in 30-45 minutes. Highly chip resistant.



Premium Rubberized Undercoat – Paintable

Seals out rust, fumes, heat and cold while protecting underbody areas. Excellent adhesion that won't crack or chip under normal conditions. Ideal on new panel and fender replacements, section repairs, weld joints and rust holes. Fast drying.



Rubberized Undercoat

Seals out rust, fumes, heat and cold while protecting underbody areas. Excellent adhesion that won't crack or chip under normal conditions. Ideal on new panel and fender replacements, section repairs, weld joints and rust holes. Fast drying and economical.



Application Gun

Designed for use with Norton Urethane Seam Sealer (#82751) on page 43. This item is a fully enclosed metal unit, which provides fast and efficient application of seam sealer material.

DESCRIPTION	SIZE	076607-
Zinc Rich Weld-Thru Primer	16 oz Can/ 13.75 oz Net Weight	82781
CASE		12

50 STATE
V.O.C. COMPLIANT

DESCRIPTION	COLOR	SIZE	076607-
Rocker-Panel Texture Coat	White	16 oz Can/ 13 oz Net Weight	82770
	Black	16 oz Can/ 13 oz Net Weight	82772

CASE 6

50 STATE
V.O.C. COMPLIANT

DESCRIPTION	SIZE	076607-
Premium Rubberized Undercoat	24 oz Can/ 17.75 oz Net Weight	82775

CASE 6

50 STATE
V.O.C. COMPLIANT

DESCRIPTION	SIZE	076607-
Rubberized Undercoat	20 oz Can/ 16 oz Net Weight	82776

CASE 6

50 STATE
V.O.C. COMPLIANT

DESCRIPTION	076607-
Application Gun	82786
CASE	1